



## **▶ EVER STEP**

当我们设计Citylight的时候,其设计灵感来源与夜幕下的光影满天的城市.基于相同的设计理念,Citylight以建筑灯光色彩为设计视角,在硬挺的道路上投影出长长短短的效果,若影若现,红色,黄色,-----颜色千变万化.


When we design Citylight, the inspiration for the design is full of night lights. City of the day. Based on the same design concept, Citylight is designed with architectural lighting colors. From the angle of projection effect, long short in the back on the road, looming, red, Yellow — the kaleidoscope of colours



First, turn on the lights for precautionsGradually, when we start showing off how safe we are But become a threat on the roadln fact, the real security Besides protecting myselfAlso give the sense of security to those who travel with one anotherNo noise, no sound.









Bright



Especially



Ful1



Melancholy



 ${\tt Commonly}$ 



 ${\tt Comfortable}$ 





## 技术参数/Specifications

City Light 城市灯光 产品名称 Product Fiber Content Universal nylon 66 纱线系统 环球尼龙66 规格 1/8+1/4 Gauge 1/8+1/4 Construction 结构 高低圈提花 High-low loop Carpet Tile Size 尺寸 50cm\*50cm 50cm\*50cm Dye Method 染色方式 原液染 Solution Dyed 底背 Secondary Backing PVC PVC 成品绒重 160z Fleece Weight

Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 10 years. Wear Warranty (耐磨)

此产品保证在正常商业使用下 10 年内纱重损耗不会超过 10%。

10Year warranty QB/T2755-2005. Grade 5 - little or no change. Colour Fastness (耐光)

根据 QB/T2755-2005 标准,保证 10 年内的变化在等级 5 以上或不发生变化

Static Electricity (抗静电) Permanent Lifetime Protection - less than 2.0 kv.

永久终身保证,静电率小于或等于 2.0 kv。

Dimensional Stability (尺寸稳定) Warranted not to change in size by more than 2.0 mm under normal use. Will not dome or dish under normal use.

保证在正常使用条件下,产品尺寸的变化不超过 2.0mm 以上,不会发生翘曲或是延伸。

## **Recommended Installation**



















